LG Series Low Capacity Mechanical Force Gauge

Specification Sheet SS-FM-3001-0904 September 2004

The CHATILLON® LG Series mechanical force gauge is ideal for a wide range of force testing applications. Based on our popular DPP Series force gauge, the LG Series features a larger, 2.25-inch dial for improved resolution and readability, peak hold button, ergonomic shape and improved accuracy of ±0.5% of full scale. The LG gauge is an excellent, economical solution for tensile or compression testing.

The durable, plastic housing fits naturally in the hand for a comfortable and firm grip even at maximum loads. Gauges may be mounted to a test stand for even greater control and consistent results in repetitive testing applications. Easy to read concentric dial measures clockwise only. Dial rotates 360-degrees for taring. A peak hold button captures peak readings and can be easily and quickly returned to zero. A mechanical overload feature protects the gauge from damage. Available in lbf, kgf or N units of measure. LG Series gauges come complete with protective carrying case and a set of stainless steel attachments. A Certificate of Calibration with Data is supplied standard.

Features

- ☐ Three Models, Eight Capacities Each
- ☐ Tensile (Pull) and Compression (Push) Testing
- Intrinsically Safe
- Tare Ring
- Peak Load Switch
- Universal Mounting
- NIST Calibration with Data
- 2 Year Warranty

Specifications

Accuracy: ±0.5% of Full Scale

Overload Capacity: 110% of Rated Capacity

Maximum Overload: 150% of Rated Capacity

Tare Capacity: 10% of Rated Capacity

Dial Resolution: 0.5% of Full Scale

Deflection: 10mm (.394 inches) at Full Scale Operating Temperature: 40°F to 110°F (5°C to 45°C)

Instrument Weight: 1.5 lbs (0.68 kg)
Shipping Weight: 8.4 lbs (3.80 kg)





You Get More with Your CHATILLON Garage.

Dimensions

2.5" M3 X 0.5 Thd Mtg Hole (4 Places) 1.125" #10-32 Thd Mtg Holes (2 Places)

LG GAUGE SERIES

E96-328

Accessories

Standard Accessories

Part No.	Description
SPK-FMG-008A	Chisel Point
SPK-FMG-009A	Point
SPK-FMG-010A	Notch
SPK-FMG-011A	Flat
SPK-FMG-012A ¹	Hook, Stationary, 20 lbf
SPK-FMG-012B ¹	Hook, Stationary, 100 lbf
SPK-FMG-013A	Extension Rod, 6-inch
NC002710	Carrying Case
NC002711	Operator's Manual

Note: 1 Capacity dependent.

Optional Accessories

Part No.	Description
ML3867	Hook, Swivel (20 lbf)
ML3850	Hook, Swivel (100 lbf)
NC000988-3	Extension Rod, 3-inch

Ordering

Decimal Dials (LBF)

Model	Capacity x Resolution
LG-002	2 x 0.01 lbf
LG-005	5 x 0.025 lbf
LG-010	10 x 0.05 lbf
LG-020	20 x 0.1 lbf
LG-030	30 x 0.15 lbf
LG-050	50 x 0.25 lbf
LG-075	75 x 0.375 lbf
LG-100	100 x 0.5 lbf

Decimal Dials (KGF)

Model	Capacity x Resolution
LG-1KG	1 x 0.005 kgf
LG-2KG	2 x 0.01 kgf
LG-3KG	3 x 0.015 kgf
LG-5KG	5 x 0.025 kgf
LG-10KG	10 x 0.05 kgf
LG-20KG	20 x 0.1 kgf
LG-30KG	30 x 0.15 kgf
LG-50KG	50 x 0.25 kgf

S.I. Dials (Newtons)

Model	Capacity x Resolution
LG-10N	10 x 0.05 N
LG-20N	20 x 0.1 N
LG-30N	30 x 0.15 N
LG-50N	50 x 0.25 N
LG-100N	100 x 0.5 N
LG-200N	200 x 1 N
LG-300N	300 x 1.5 N
LG-500N	500 x 2.5 N

TEST AND CALIBRATION INSTRUMENTS

 $For the \ authorized \ Chatillon \ Distributor \ or \ Manufacturer's \ Representative \ near \ you, go \ to \ www.chatillon.com$

Americas

AMETEK TCI Division 8600 Somerset Drive Largo, Florida 33773 United States of America Tel +1-727-536-7831 Tel +1-800-527-9999 Fax +1-727-539-6882

France

AMETEK Lloyd Instruments SAS 3 avenue des Coudriers Zone d'Activite de l'Observatoire 78180 Montigny-Le-Bretonneux France

Tel +33-1-3057-4774
Fax +33-1-3057-5033
Email general@lloyd-instruments.com

Germany

AMETEK GmbH Rudolf-Diesel-Strasse 16 D-40670 Meerbusch Germany Tel +49-0-2159-9136-7

Germany
Tel +49-0-2159-9136-70
Fax +49-0-2159-9136-80
Email apie@ametek.dr

Singapore

AMETEK Singapore Pvt. Ltd. 10 Ang Mo Kio Street 65 #05-12 Techpoint Singapore 569059 Tel +65-484-2388 Fax +65-481-6588 Email aspl@ametek.com.sg

United Kingdom

AMETEK Lloyd Instruments Ltd.
Forum House, 12 Barnes Wallis Rd
Segensworth East
Fareham
Hampshire PO15 5TT
United Kingdom
Tel +44-0-1489-574221
Fax +44-0-1489-885118
Email uk-far.general@ametek.co.uk



Email chatillon.fl-lar@ametek.com