Specification Sheet SS-DG-0210 February 2010

The CHATILLON® DG Series mechanical force gauge is ideal for a wide range of force testing applications up to 500 lbf (2.5 kN). Based on our popular DPPH Series force gauge, the DG Series features a larger, 2.25-inch dial for improved resolution and readability, peak hold button, durable plastic housing, universal mounting plate, ergonomic shape and improved accuracy of ±0.5% of full scale. The DG gauge is an excellent, economical solution for tensile or compression testing.

The DG Series may be used as a hand-held device or equipped with an optional handle set for two-hand operation. It is ideal for test stand applications, and when combined with the MT500 Series mechanical test stand, offers you a versatile, economic test system with a capacity of up to 500 lbf (2.5 kN).

The DG Series features an an easy to read concentric dial that measures clockwise only. Dial rotates 360-degrees for taring. A peak hold switch captures peak readings and can be easily and quickly returned to zero. A mechanical overload feature protects the gauge from damage. Available in lbf, kgf or N units of measure. DG Series gauges come complete with protective carrying case and a set of stainless steel attachments. A Certificate of Calibration with NIST Data is supplied standard.

Features

- Three Graduation Styles
 - LBF
 - KGF
 - Newtons
- Tensile (Pull) and Compression (Push) Testing
- Peak Load Switch
- Tare Ring
- Intrinsically Safe
- NIST Calibration with Data
- 2 Year Warranty

Specifications

Accuracy: ±0.5% of Full Scale 110% of Rated Capacity Overload Capacity: Maximum Overload: 150% of Rated Capacity Tare Capacity: 10% of Rated Capacity Dial Resolution: 0.5% of Full Scale **Deflection (Full Scale):** 10mm (.394 inches) Operating Temperature: 40°F to 110°F

> 5°C to 45°C 4.7 lbs (0.68 kg)

Instrument Weight: Shipping Weight: 8.4 lbs (3.80 kg)









Ordering

Dial Style - LBF

Model	Capacity			
DG-200	200 x 1 lbf			
DG-300	300 x 1.5 lbf			
DG-400	400 x 2 lbf			
DG-500	500 x 2.5 lbf			

Dial Style - KGF

Model	Capacity		
DG-100KG	100 x 0.5 kgf		
DG-250KG	250 x 1.25 kgf		

Dial Style - N

Model	Capacity
DG-1000N	1000 x 5 N
DG-2500N	2500 x 12.5 N


Accessories

Part No.	Description	DG-XXXX	Capacity	Thread	
SPK-FMG-011B	Flat Adapter	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-012C	Hook, Stationary	•	500 lbf, 2.5 kN	5/16-18F	
NC002500	Hook, with Snap Latch	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-008B	Chisel Point Adapter		500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-009B	Point Adapter		500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-010B	Notch Adapter		500 lbf, 2.5 kN	5/16-18F	
NC000725	V-Notch Fixture, Large	•	500 lbf, 2.5 kN	5/16-18F	
NC000721	V-Notch Fixture, Small	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-013B	Extension Rod, 13-inch	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-142	Curved Compression Fixture	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-143	Compression Plate, Circular	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-144	Palm Fixture	•	500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-145	Compression Plate, Rectangular, Large		500 lbf, 2.5 kN	5/16-18F	
SPK-FMG-146	Compression Plate, Rectangular, Small	•	500 lbf, 2.5 kN	5/16-18F	
NC002844	Grasping Cable	•	500 lbf, 2.5 kN	5/16-18F	
SPK-DG-HANDLE	Handle Assembly	•	500 lbf, 2.5 kN	5/16-18F	
NC002728	DG Series Carrying Case	•			
NC002845	Soft Case Fanny Pack	•			

Standard Accessory =

Optional Accessory = •

Dimensions





MEASUREMENT & CALIBRATION TECHNOLOGIES

For the authorized Chatillon Distributor or Manufacturer's Representative near you, go to www.chatillon.com

Americas
AMETEK
Measurement & Calibration
Technologies
8600 Somerset Drive
Largo, Florida 33773
United States of America
Tel +1-727-536-7831
Tel +1-800-527-999
Fax +1-727-539-6882

United Kingdom Lloyd Instruments Ltd. Steyning Way Bognor Regis West Sussex PO22 9ST United Kingdom Tea +44 (0) 1243 833 370 Fax +44 (0) 1243 833 401 Email uk-far.general@ametek.co.uk

France
AMETEK S.A.S.
Rond Point de l'Epine des Champs
Buro Plus - Bat. D
78990 Elancourt
France
1 + 33 (0)1 30 68 89 40
Fax + 433 (0)1 30 68 89 49
Email general@lloyd-instruments.com

Germany AMETEK GmbH Rudolf-Diesel-Strasse 16 D-40670 Meerbusch Germany Tel +49 (0)2159 9136-7

Germany Tel +49 (0)2159 9136-70 Fax +49 (0)2159 9136-39 Email info@ametek.de Singapore AMETEK Singapore Pvt. Ltd. 10 Ang Mo Kio Street 65 #05-12 Techpoint Singapore 569059 Tel +65-6484-2388 Fax +65-6481-6588 Email aspi@ametek.com.sg

Email chatillon.fl-lar@ametek.com